Fiberdeck®
Never stop innovating







AKIDO

UNIVERSAL PRIVACY SCREENING **KIT** IN COMPOSITE WOOD

Fiberdeck

AKIDO

COMPOSITE WOOD PRIVACY SCREENING KITS WITH ALUMINUM REINFORCEMENTS



HIGH-QUALITY COMPOSITE WOOD

Akido benefits from Fiberdeck's full expertise in high-quality composite wood extrusion. The slats are made of composite wood and highly resistant to weathering. All kits include a 15-year warranty. (1)

LONG-LASTING COLOUR

The composite wood is brushed for a natural wood effect. The rich tones suit any outdoor setting. Available in Basalt, Sienna and Granite.

EASY AND QUICK TO INSTALL MAINTENANCE-FREE

No staples, no clips, no screws. The components slide between the wires and the slats lock onto the rails with a simple click. A detailed instruction sheet and a video guide you step by step.

(1) See Fiberdeck limited guarantee at www.fiberdeck.com

A UNIVERSAL KIT

All components in a single package cover most folded mesh fence configurations.







Aluminum reinforcement. Multiple combinations allow adjustment to different fold types.



Composite wood slats. Straight or woven installation. Wire spacing 50 mm (55 mm mesh).

Select **your height**



1M03
1M23
1M53
1M73
1M93

Select **your colour**

Basalt

Sienna

Granite

Find **your reinforcement**





Aluminum top rail, lacquered to match the slat colour. 125 cm long. No bottom rail for full drainage and unrestricted thermal expansion.



Slat retaining clips that also lock the top rail in place.



End slats included in 30 mm, 38 mm and 48 mm widths, to be selected based on the installed fence.

Fiberdeck®
Never stop innovating

AKIDO

MARKET CONFIGURATION EXAMPLES

BRAND	PANEL	BACKING	END SLAT
FERRO-BULLONI	Medium	S	48 mm
	Hybrid		
MOREDA (MRT)	Hércules Medium	XL	38 mm
	BricoHércules		
DIRICKX	Axyle CS	XL	38 mm
	Axyle MS		
EUROFENCE	Bastipli	L	38 mm
	Bastipro		
SCHERTZ	Geno	XL	38 mm
	Argo		
LIPPI	Expert 55mm Mesh	L	38 mm
CLOTEX GANTOIS	Giga 200 Premium	XL	38 mm
	Giga 200 Medium		
ARCAL	Récif	XL	38 mm

COMPOSITE ADVANTAGES vs OTHER MATERIALS

	AKIDO	SOFTWOOD	PVC
Mechanical strength	++	++	+
UV resistance	++	- -	-
Lifespan	**30 years**	15 years	10 years
Ease of installation	++	-	++
Density	**1100 kg/m3**	450 kg/m3	125kg/m3
Slat profile	**Solid profile**	Solid profile	Hollow profile